



UNIVERSITY OF  
ILLINOIS LIBRARY  
AT URBANA-CHAMPAIGN

NATURAL HISTORY SURVEY





# FIELDIANA: ZOOLOGY

*A Continuation of the*

ZOOLOGICAL SERIES

*of*

FIELD MUSEUM OF NATURAL HISTORY

---

VOLUME 65

**NATURAL HISTORY SURVEY**

DEC 6 1976

**LIBRARY**



FIELD MUSEUM OF NATURAL HISTORY  
CHICAGO, U. S. A.



# FIELDIANA Zoology

Published by Field Museum of Natural History

Volume 65, No. 3

May 20, 1974

## *Myoproctalges surinamensis*, a New Genus and Species of Mite Parasitic on the Acuchi *Myoprocta acouchy* from Surinam (Psoroptidae, Psoralginae: Sarcoptiformes)

A. FAIN

INSTITUT DE MEDECINE TROPICALE PRINCE LEOPOLD  
ANTWERPEN, BELGIUM

AND

F. LUKOSCHUS

ZOOLOGISCH LABORATORIUM, KATHOLIEKE UNIVERSITEIT NIJMEGEN  
THE NETHERLANDS

We herein describe a new genus represented by a new species found on *Myoprocta acouchy* (Dasyproctidae), during the Field Museum of Natural History Guiana Zoological Expedition (1960-62) in Surinam.

This new genus is distinguished from all the other genera in the subfamily Psoralginae (Psoroptidae), in both sexes, by the strong sclerotisation of the body, the presence of a broad hysterosomal dorsal shield, the normal length of the hind tarsi, and the presence of suckers on legs III and IV (see Fain, 1963, 1967; Fonseca, 1954).

### **Myoproctalges**, new genus.

**Definition.**—IN BOTH SEXES: small size; body flattened and broadly oval; sejugal furrow present; idiosoma and legs well sclerotized; dorsal surface of hysterosoma with a broad punctate shield, absence of attaching organs (recurved processus) on idiosoma and legs; base of gnathosoma with two processes directed posteriorly; setae *vi* present; all tarsi of normal length and shape, except tarsus III of the male which is fused with the corresponding tibia; all tarsi terminate in a stalked sucker; a recurved process (=“ongle”) is present on the apices of all the legs except legs IV of the male; epimera I separate, united posteriorly to the epimera II. FEMALE: epigynium free. MALE: adanal suckers vestigial; legs III slightly

US ISSN 0015-0754

Library of Congress Catalog Card Number: 74-77216

Publication 1185

21

NATURAL HISTORY SURVEY

JUN 18 1974

LIBRARY





FIG. 1. *Myoproctalgus surinamensis* n. sp. Male (holotype) in ventral view.





FIGS. 2, 3. *Myoproctalgus surinamensis* n. sp. 2, Male (holotype). 3, Female (allotype). Both in dorsal view.




FIG. 4. *Myoproctalges surinamensis* n. sp. Female (allotype) in ventral view.

longer but much thicker than legs IV; posterior margin of the body deeply incised into two strong triangular lobes widely separate.

*Type species*.—*Myoproctalges surinamensis* new species.

### **Myoproctalges surinamensis**, new species.

*Description*.—MALE (holotype) (figs. 1, 2): Length of idiosoma (posterior lobes included)  $219\mu$ , width  $144\mu$ . *Dorsum*: propodosoma with an antero-median and two postero-lateral shields. A wide shield covers the greatest part of the hysterosoma. *Venter*: legs IV very narrow, completely situated inside of legs III. Legs III with tibia fused with tarsus and femur fused with genu.

FEMALE (allotype) (figs. 3, 4): Idiosoma  $216\mu$  long and  $158\mu$  wide. Dorsum and epimera I as in the male. Opisthosoma striated ventrally without shield. Anterior legs distinctly thicker than posterior legs. Vulva in an inverted Y. Epigynium slightly recurved.

*Host and locality*.—On *Myoprocta acouchy* Erxleben (Dasypodidae, Hystricoidea), Paloemeu Airstrip, Tapanahoni River, Surinam, May, 1961, Coll. H. A. Beatty, Catal. n° 95.787. The holotype male and allotype female are deposited in Field Museum of Natural History, Chicago.

### REFERENCES

FAIN, A.

1963. Les Acariens producteurs de gale chez les Lemuriens et les Singes avec une etude des Psoroptidae (Sarcoptiformes). Bull. Inst. Roy. Sci. Nat. Belg., **39**(32), pp. 1-125.  
1967. Diagnoses d'Acariens nouveaux, parasites de Rongeurs ou de Singes (Sarcoptiformes). Rev. Zool. Bot. Afr., **76**(3-4), pp. 280-284.

FONSECA, F.

1954. Notas de Acarologia XXXIX. Sistematica e filogenese de Psoralgidae OUDEMANS Sarcoptiformes parafagistas de mamiferos com morfologia de Acari plumicolos. Mem. Inst. Butantan, **26**, pp. 93-167.
















UNIVERSITY OF ILLINOIS-URBANA



3 0112 018406899